

<i>Contents</i>	<i>page</i>
Information	2
Gaskets	3
Barrel, Piston and Heads	3
Crankshaft	3
Bearings and Seals	4
Clutch and Gearbox	4
Gears	5
Selectors	6
Exhaust Parts	6
Silencers	7
Chain and Sprocket	7
Ignition	7
Electrical	8
Control	9
Front Forks	10
Footrests and Rubbers	11
Seat	12
Transfer and Badges	12
Stands and Springs	12
Wheels Brakes and Tyres	12
Mudguards	13
Panels and Fittings	14
Rear Suspension	14
Mirrors	15
Fuel and Carburettor Parts	15
Paint	16
Helpful Bits	16
Nuts and Bolts	17

- ? This catalogue is of the most frequently required spares: more new spares are available and we can also supply second hand parts – just ring and ask.
- ? While every effort will be made to dispatch your order within 7 working days from receipt, please allow 14 days before contacting us. We deserve the right to clear cheques before dispatch of goods.
- ? **How to order:** use the enclosed order form if possible. State clearly the catalogue number, quantity required, model year and type where applicable.

By post to: T & G Motorcycles
 1 Slated Row
 Old Wolverton
 Milton Keynes
 MK12 5NJ
 ENGLAND

? *By phone:* Telephone: 01908 579799 (International: 19-44-1908-579799)

? *By e-mail to:* tandgmotorcycles@talktalk.net

Opening Hours

Monday to Friday 09.30am to 17.30pm (and some Saturday mornings)
 Closed on Sunday (answer phone and fax on during out of hours)
 This is a mail order business. Callers will be received by appointment only.

? **How to Pay**

By cheque in sterling, postal orders or bank draft made out to **T & G Motorcycles**

By Access/Master Card/Visa/Switch. State clearly the card number, expiry date and billing address. If using Switch also quote issue number and date.

Add Postage and Packing at following rates:

Overseas customers: all by weight
 UK Mainland customers, orders up to: £10 = £2.00
 £20 = £4.00
 £40 = £6.00
 above £40 = £9.00

Postage and Packing is subject to 15.00%* V.A.T for all U.K and E.C customers so

U.K and E.C customers please add 15.00%* V.A.T to the total value of the order.

*Until further notice

All parts supplied remain the property of T&G Motorcycles until paid for in full.

N/A = Not available at present until new stocks are sourced
A/S = Awaiting new stock: time is dependent on manufacturer

ENGINE OVERHAUL SERVICE: £175.00 plus parts and VAT at 15.00%

01 June 2009

BSA BANTAM SPARES LIST

Item no.	Price £	Description
Gaskets		
A1	6.75	Gasket sets (state model) includes ex copper ring
A2	2.00	Head gasket (state model) inc with sets
A3	1.25	Base Gasket (state model) inc with set
A4	0.90	Gearbox gaskets (pair) 3 speed models inc with set
Barrel Piston and Head		
		Piston sizes currently available
B1	25.50	Piston D1 125cc(with rings /pin/circlips) std+20+40+60
B2	28.50	Piston D3 150cc (with as above) std+10+15+20+30
B2a	38.50	Piston D3 150cc (with as above) +40 + 60
B3	33.50	Piston D5/D7 Flattop (2 or 3 ring) 175cc std +10+20+40+60
B4	33.50	Piston D10/14/B175 Domed (2 ring) 175cc std +20+40+60
B5	36.00	Piston big bore D7/10/14/B175 187cc with rings pin circlips
B6	10.75	Piston rings (Big bore)
B7	9.25 set	Piston rings D1 125cc
B8	10.75 set	Piston rings D3 150cc
B9	10.75 set	Piston rings D5 D7 175cc
B10	10.75 set	Piston rings D10/14/B175, 175cc
B10a	1.00pr	Piston pin circlips (state model)
B10b	6.00	Gudgeon pin (state model & piston type i.e. BSA/hepolite etc.)
B11	p.o.a	Barrel (various as available)
B12	p.o.a	Heads (state model)
B13	25.00	Rebore/Hone barrel
B14	12.00	Set of barrel studs (high tensile)
B15	0.15	Nuts for above
Crankshaft		
C1	55.00	Conrod & Big End assembly (narrow rod - early D1 model, when available)
C1a	105.00	New Conrod assembly -not suitable early D1 narrow rod
C2	7.50	Small end bush D1/3
C3	7.50	Small end bush D5, early D7
C4	7.25	Needle roller small end late D7/10/14/B175
C5	25.50	Fitting charge for assembling and truing flywheels
C6	16.50	Drive side mainshaft D1/3/5/7
C7	A/S	Drive side mainshaft D10/14/B175
C7a	1.35	Woodruff key (drive-side)
C8	35.50	Timing side mainshaft D1/3/5/7
C8a	1.35	Woodruff key for above
C9	0.75ea	Crankshaft shims 2,5,10,15 (.002" .005" etc.)
C10	3.25	Selection of shims (pk of 6)
C11	a/s	Alternator shaft D10/14/B175

Bearings and Seals		
D1	9.75	Main bearing (large one-SKF or equivalent quality)
D1a	5.25	Main bearing (large one –cheaper alternative)
D2	3.95	Main bearing (small one)
D3	7.75	Gearbox bearing (large)
D4	5.75	Gearbox bearing (small one)
D5	34.50	Engine bearing kit (5 bearings –SKF or equivalent)
D6	1.95	Generator side seal (all models)
D7	3.45	Drive side seal for early D1 (between the bearings)
D8	1.95	Main seal D1/3/5/7/10/14/B175 (2 required all models of D5/7/10/14/B175 and later D1 engines)
D9	2.75	Gearbox oil seal 3 speed models
D10	1.95	Gearbox oil seal 4 speed models
D11	1.95	Points seal D10/14/B175
D12	0.85	O Ring crankshaft sprocket D10/14/B175
D12a	1.75	O Ring backing washer crankshaft sprocket
Clutch & Gearbox		
E1	A/S	Friction clutch plate standard
E2	7.15	Friction clutch plate heavy duty (superior quality-fit all models)
E3	2.15	Steel driven clutch plate
E4	15.50	Clutch spring plate (90–1589)
E4A	7.50	Clutch actuating plate used only (90-0032) (dome plate)
E5	1.50	Clutch circlip
E6	5.25	Clutch springs (set of 6)
E6A	0.75ea	Clutch spring cup (90-0030)
E7	7.50	Clutch centre gear (state 3 or 4 plate)
E8	9.75	Clutch centre bush (3 plate)
E9	4.95	Clutch centre bush (4 plate)
E10	1.05	Clutch centre nut 3spd models
E10A	2.45	Clutch centre nut (self locking) 4spd. models
E11	4.95	Clutch thrust bearing (4plates)
E11A	1.45	Clutch chain wheel washer (90-1736 4spd models)
E12	3.50	Clutch thrust washer (3 plates)
E12A	2.75	Clutch push rod (short valve type)
E13	2.50	Clutch push rod (state model)
E13AA	0.50	Clutch ball
E13A	2.15	Rubber grommet outer cover (for clutch adjustment hole)
E13B	1.75	Clutch operating lever return spring (90–0122)
E13C	1.95	Clutch adjusting screw (90 –0105)
E13CA	2.15	Clutch operating lever cap (90-0106) D1/3/5 models
E13D	12.50	Clutch operating lever (90-180)&(57-3789)
E13E	7.50	Bush clutch operating lever (90-0184) (good used only)
E13F	0.60	Rubber bush clutch push rod (90-0132)
E14	0.90	Clutch cover screws/washers set (3)
E15	6.50	Engine sprocket standard 17t (3 speed models)
E15A	13.50	Engine Sprocket standard 17t (4 speed model)
E15B	13.50	Engine Sprocket (12 &14t) suit trials (state model)
E16	0.80	Engine Sprocket nut (3 speed models)

E16A	1.95	Engine Sprocket nut (4 speed models)
E17	0.60	Engine Sprocket tab washer
E18	10.50	Primary chain all models (incl. spring link)
E19	1.50	Split link for above
E20	2.85	1 ½ link for above
E21	2.00	Primary chain case gasket
E22	12.50	Kickstart shaft all models except B175
E23	A/S	Kickstart shaft B175
E24	6.50	Kickstart return spring all models
E25	9.50	Kickstart quadrant all models 90-175
E25A	4.50	Kickstart quadrant spring plate 90-90
E26	5.75	Kickstart gear all models (good used)
E26A	1.45	Kickstart gear spring
E26B	3.50	Cup washer for spring
E26C	0.75	Circlip for cup washer
K49	39.50	Kickstart lever forged (folding) D1-D14 (made in England)
K49A	18.50	Kickstart lever (non folding) D1-D14 (new type - ok)
K49B	16.95	Kickstart lever (non folding) B175
Gears		
F1	7.50	3 speed layshaft (state type)
F2	10.75	3 speed layshaft 1 st gear
F3	12.50	3 speed layshaft 2 nd gear (state type)
F4	18.50	3 speed layshaft 3 rd gear (19t)
F4A	26.50	3 speed layshaft 3 rd gear (21t)
F5	24.50	3 speed mainshaft (state type) (v limited stock)
F6	16.50	3 speed mainshaft 2 nd gear (state type)
F7	27.50	3 speed mainshaft top gear
F8	38.50	4 speed layshaft
F9	12.50	4 speed layshaft 1st gear
F10	12.50	4 speed layshaft 2 nd gear
F11	A/S	4 speed layshaft 3rd gear (21t) newly made in England
F12	9.00	4 speed mainshaft
F13	44.50	4 speed mainshaft 2 nd gear (22t) (newly made in England)
F14	12.50	4 speed mainshaft 3 rd gear
F15	12.50	4 speed mainshaft top gear (good used only)
F16	6.00 pr	Layshaft bushes 3 speed
F17	7.50 ea	Layshaft bushes 4 speed open
F18	8.50 ea	Layshaft bushes 4speed closed
F19	4.00 pr	Pair top gear bushes – all models
Selectors		
G1	10.50	3 speed ratchet plate (gear selector arm)
G1 A	7.50	3 speed selector arm bracket (90-56)
G2	2.15	3 speed selector tab washer (90-63 limited stock)
G2A	1.85	3 speed selector socket spring (90-46)
G2B	7.25	3 speed selector socket (90-47)
G2C	0.50	3 speed selector ball (90-241)
G3	12.50	3 speed gear change shaft
G4	9.25	3 speed gear change shaft claw (90-190 limited stock)
G5	2.75	3 speed gear change return spring

G5A	1.50	Gear selector fork spring cup (90-54) 3 spd models only
G6	6.95	4 speed cam plate
G6A	1.85	4 speed selector spring (g/c index 90-1723)
G6B	8.50	4 speed selector socket (90-1722)
G6C	0.50	4 speed selector ball (89-0060)
G6D	2.65	4 speed selector ball seat (90-1721)
G7	4.55	4 speed cam plate bracket
G7A	0.85 ea	4 speed mounting bracket tab washer
G8	13.50	4 speed selector fork – state which
G9	2.25ea	4 speeds selector fork rollers
G10	3.50	4 speed fork post/circlip
G11	28.50	4 speed gear change shaft
G11A	2.35	4 speed gear change shaft spacer
G12	2.45	4 speed gear change shaft spring
G13	12.50	4 speed gear change shaft claw
G14	2.75	4 speed gear change return spring
G14A	9.25	Gearbox level plug dipstick (plastic D10 3 speed only)
G14B	7.50	Gearbox filler plug (with breather tube) 4 spd
K66	16.25	Gear change lever all models (UK made)
Exhaust Parts		
H0	45.50	High level small bore exhaust pipe (D1/3/5/7/10)
H0A	45.50	High level large bore (D14-B175)(can fit earlier models-use adaptor H7A)
H1	45.50	D1 rigid exhaust pipe (under footrest bar)
H2	45.50	D1/3 exhaust pipe rigid & plunger models (over f/rest bar)
H3	45.50	D3/5 exhaust pipe swinging arm
H4	45.50	D7/10 exhaust pipe
H5	45.50	D14 B175 exhaust pipe
H6	10.50	Exhaust flange nut D1/3/5/7/10 (1.3/8" pipe)
H7	13.50	Exhaust flange nut D14/B175 (1.3/4" pipe)
H7A	6.00	Exhaust adaptor ring (converts from 1.3/8 to 1.3/4 on cylinder barrel ex. stub)
H8	1.25	Copper exhaust gasket D1/3/5/7/10 [1 3/8]
H8A	1.25	Copper exhaust gasket D14/B175 [1 3/4]
Silencers		
H10	64.50	D1/3 plunger (round type with fin)
H10A	78.50	D1/3 flat silencer (copy of original with baffles) 5 ONLY
H11	64.50	D3/5 swinging arm (& early D7 with welded on bracket)
H12	64.50	D7/10 standard models
H12A	64.50	D10 Bushman/sports type (with stud holes for heat shield)
H13	64.50	D14/B175 standard models
H13A	64.50	D14/B175 Bushman/sports [with stud holes for heat shield]
H14	5.75	Silencer hanger bracket 90-3116 D7/10 std models
H14A	2.95	Exhaust to silencer clamp (state model)

Chain & Sprocket		
I1	14.75	Rear chain (quality 420 chain incl. Split link – state model)
I1A	0.25ea	Additional links (420 chain, any length supplied)
I1B	35.50	Rear chain (genuine renold inc.split link - state model)
I2	0.60ea	Additional links (renold chain)
I2A	2.40	1 ½ links (renold chain)
I3	1.25	Spring links (420 chain)
I3A	2.20	Spring links (renold chain)
I4	9.50	Gearbox sprockets (13/14/15/16 - available in 420 or std.renold size)
I4A	9.50.	Gearbox sprocket (12/17)(available in 420 chain size)
I5	1.15	Gearbox sprocket tab washer (all models)
I6	1.75	Gearbox sprocket nut (all models)
I6A	5.50	Gearbox sprocket spacer 90-0071 (all models)
I7	19.50	Rear wheel sprocket std. 47t (8 holes D7/10/14/B175) state 420 or renold)
I7A	17.75	Rear wheel sprocket std.47t (9 holes D1/3/5)
I8	21.75	Rear wheel sprocket (48t-64t, state 8/9 holes) 420 chain
I8AA	27.00	Rear wheel sprocket (48t-64t, state 8/9 holes Renold chain)
I8A	10.00	Rear wheel sprocket bolts set for D7/10/14/B175
I8B	4.75	Rear wheel sprocket rivet set D1/3/5
I9	23.50	Chainguard plunger models
I9A	23.50	Chainguard rigid models
I10	A/S	Chainguard D7/10/14/B175
I10A	6.00	Chainguard extension plate (90-7735) D7/10/14/B175)
I11	A/S	Chainguard Bushman
Ignition		
J1	10.50	Points D1/D3/D5/D7
J1A	15.50	Points D1/D3/D5/D7 genuine Wipac
J1B	9.50	Points D1 Lucas models
J2	9.50	Points D10/D14/B175
J2A	16.50	Points D10/D14/B175 genuine Wipac
J3	5.25	Condenser – state model
J4	1.35	Ignition cam woodruff key ((D1/3/5/7)
J5	1.25	Fixing screw/washer for cam (D1/3/5/7 only)
J6	2.85	Stator plate bush D1/3/5/7
J7	14.50	Ignition coil for flywheel ignition models only
J8	2.15	Spark plug –state model
J8B	2.75	Plug cap
J8C	1.00	H.T. lead (per foot – state length required)
J9	4.75	H.T. lead c/w fittings (battery/coil ignition type)
J10	17.50	Ignition cam (currently D10/14 B175 only) not many
J11	3.25	Stator plate grommet D1/3/5/7
J11A	0.75	Alternator grommet D10/14/ B175
J12	5.00	Points fitting kit wipac (clip/washers screws) D1/3/5/7
J13	19.95	Ignition coil D.C [battery coil ignition models] D7/10/14/ B175
J13A	16.50	Ignition coil A.C. (suitable for Bushman & trials models)

Electrical		
K1	2.00	Knob for switch (state ignition or lighting)
K1A	16.00	Switch – replica Wipac 9 pin type
K2	15.75	Headlamp rim D1/3/5/ (except Lucas use K2a price)
K2A	15.75	Headlamp rim D7/10/14/ std. models i.e. with nacelle)
K2AA	14.75	Headlamp rim D10/14 sports Bushman & B175
K2AB	23.50	Headlamp unit (lens reflector/bulb holders incl.)
K2B	1.75	Headlamp rim clip/screw (D7/10/14/B175)
K2C	1.25	Headlamp rim screw (stainless steel - D1/3/5)
K2D	0.30	Headlamp rim 'W' Clip
K2E	5.25	Bulb holder (main bulb BPF)
K2F	3.75	Bulb holder late type light unit (pilot bulb mes)
K2G	3.75	Bulb holder (pilot bulb bayonet)
K2H	3.25	Bulb holder (speedo D7/10/14/ B175)
K2I	8.25	Bulb (c/w spring & knurled nut for D shaped speedo – new made in England)
K3	2.25	Headlamp bulb (state BPF or plain)
K3a	0.95	Stop/tail bulb (twin filament)
K3B	0.75	Side tail 3w M.E.S (screw type)
K3C	0.75	Pilot bulb 5 w bayonet
K3D	0.75	Speed bulb D1/3/5/models
K3DD	0.75	Speedo bulb D7/10/14/B175
K3E	0.75	Tail 5w bulb (15mm dia.) bayonet
K4	4.25	Stoptlight switch (universal – simple to fit)
K4a	5.45	Dip switch suitable direct lighting models
K4C	6.25	Horn 2-7/8" (black finish) good quality
K4D	9.75	Horn/dipswitch chrome finish (complete with harness)
K4E	4.25	Horn push chrome (clip on type)
K4EE	10.50	Horn push with cable (replica 29-9349) suitable for welded Lug h/bars with hole for switch)
K4F	25.50	Ducon handlebar switch D7/10/14/B175 dip and horn (Wipac original ex quality)
K4G	9.50	Ducon switch pattern complete with harness (good)
K4H	4.50	Engine kill button (waterproof)
K5	8.75	Rear light complete (D1 – D shape) now twin filament bulb for stop switch
K5A	4.75	Rear light lens (D1 – D shape)
K5B	13.75	Rear light 'Sabrina' fits most models replica Wipac 143
K5C	5.25	Rear light lens to suit Sabrina std. fit most Bantams
K5D	9.45	Rear light assembly –replica Lucas 564 (square shape)
K5E	5.25	Rear lens to suit the above
K5F	13.95	Rear light ass. Lucas 579 (D10 & D14 Sports)
K5G	6.25	Rear lamp ass. (pattern Lucas 525)
K6	POA	Lighting coils – ltd. Stocks (state Wipac spec. no. & model no.)
K7i	17.50	Wiring harness (Wipac stator spec. no. 1452) single switch direct lighting
K7ii	29.50	Wiring harness (Wipac stator spec. no. 1450/1454) single switch battery lighting
K7iii	27.50	Wiring harness (Wipac stator spec. no. 1552) ac/dc D7 single switch [battery fitted]

K7iv	37.50	Wiring harness (Wipac stator spec. no 1704) ac/dc D7 2 switch – battery coil ignition)
K7v	37.50	Wiring harness (alternator models) D10/14/B175
K7vi	21.50	Wiring harness (Bushman single switch models)
K7vii	24.50	Wiring harness (D1 Lucas models)
K7A	0.50 ea	Cable ties rubber (original BSA type)
K8	25.00	Wipac flywheel D1/3/5/7/ (good used only)
K9	16.95	Battery modern type clear plastic (std bantam size)
K9A	20.50	Battery modern type c/w battery acid pack (std. size)
K99	29.50	Battery black rubber D1/3 (not swinging arm model)
K10	4.25	Rectifier (solid state replacement)
K10A	30.00	Alternator rotor (good used Wipac) D10/14/B175
K11	63.50	Alternator stator 3 wire (D10/14/B175)
K11A	45.50	Alternator 6v or 12v 2 wire (D10/14/B175)
K11B	15.25	Zenor diode (for 12v conversion)
K11C	13.50	Heat sink for Zenor diode (12v conversion} _
K11D	16.95	12v battery (for 12 v conversion)
K11E	21.50	Voltage regulator for 12 v conversion (alternative to Zenor diode & heat sink)
Control		
K13	7.75	Throttle cable D1/D3
K14	8.25	Throttle cable D5/7
K15	8.25	Throttle cable D10/14/B175
K16	9.75	Clutch cable D1/3
K17	10.50	Clutch cable D5/7 (58-65)
K17a	10.75	Clutch cable D7 (65-66) Silver & De-luxe
K18	10.75	Clutch cable D10/14/B175
K18a	10.75	Clutch cable Bushman models
K19	10.75	Brake cable (all except Bushman)
K19a	12.75	Brake cable (extra long – bushman models)
K20	7.25	Air cable
K21	11.95	Speedo cable (all models - state which)
K21A	29.50	Speedo G/box (D7/10/14/B175)
K22	3.75pr	Handlebar grips (original thin type)
K84	19.50	Handlebars welded lug type (D1/3/5/7early)
K111	1.85ea	Cable ferrules for above
K67	16.00pr	Clutch/brake lever blades for welded lug bars D1/3/5/7
K67A	1.75	Lever pivot screw and nut (stainless steel)
K83	21.75	Handlebars (late D7/10/14/B175)
K83a	19.75	Handlebars Bushman type
K85	21.00pr	Clutch/brake levers ball ended (7/8 th centres)
K85A	31.00pr	Clutch/brake lever assemblies ball ended (made in Eng.)
K85B	12.00pr	Clutch/brake lever assemblies (Indian)
K86	14.50	Throttle twist grip (amal type made in England)
K86A	9.95	Throttle twist grip (Indian OK)
K86B	8.25	Air lever (replica OK)
K86C	12.75	Air lever (amal type made in England)

Forks		
K32	4.00pr	Fork seals D1/3/5
K33	3.40pr	Fork seals D7/10 and early D14 [thin o ring type]
K34	3.60pr	Fork seal D14 [located by circlip]
K34a	0.75ea	Circlip for seal D14
K35	4.60pr	Fork seals B175
K35a	6.50pr	Fork seals D14 sports
K35b	2.25ea	Fork wiper seals B175
K35c	0.50ea	Fork oil seal holder o ring B175
K36	8.00ea	Oil seal holder D1/3/5 [new old stock]
K36a	9.95ea	Oil seal holder D7/10
K36b	0.45ea	Washer fits between seal holder & bush [90-5247]
K37	9.95ea	Oil seal holder D14 supreme
K37a	17.50ea.	Oil seal holder D14 sports/bushman
K37b	26.50ea.	Oil seal holder B175 models
K38	24.00set	Fork bushes D1/3/5 [can be bought singly@ 25%]
K39	14.00set	Fork bushes D7/10/14 [ditto above]
K39a	24.00set	Fork bushes D14 sport [ditto above]
K39b	12.00set	Fork bushes B175 [ditto above]
K40	17.50ea.	Fork stanchions D7/10/14
K40a	1.75ea.	Fork drain stud/mudguard stay fitting D7/10/14
K40b	33.50ea.	Fork stanchions D14 sports/bushman
K40c	A/s	Fork stanchions B175 models
K40d	24.00ea.	Fork sliding tube D1/3 [early models with valanced m/g]
K40e	25.00ea.	Fork sliding tube D1/3/5 [with bracket for stay fixing]
K41a	4.95ea.	Fork top nuts D1
K41ab	1.25ea.	Fork top nut washer D1/3/5
K41b	7.75ea.	Fork top nuts D3/5
K41bb	2.50ea.	Fork nut caps [29-5144] D3/5
K41c	7.75ea.	Fork top nuts D7/10/14
K41d	0.85ea.	Fork top nut washer D7/10/14
K41e	2.25ea.	Fork nut caps [90-5255] D7/10/14
K42a	4.50ea.	Fork top nuts B175
K42aa	0.75ea	Fork top nut washer B175
K42ab	1.10ea	Fork nut sealing rubber B175
K42ac	0.80ea	Fork nut sealing rubber washer B175
K42b	4.75ea	Fork top nuts D14 sports/bushman
K42bb	0.75ea.	Fork top nut washer D14 sports/bushman
K43	17.00pr.	Fork springs D1/3/5
K43a	17.00pr.	Fork springs D7/10/14
K43b	21.00pr.	Fork springs B175
K44	9.50pr.	Fork gaitors D1/3/5
K44a	3.50pr.	Headlamp cowling rubbers D1 [90-5107]
K44aa	3.50pr.	Headlamp cowling rubbers D3/5 [29-5134]
K44ab	4.25ea.	Headlamp cowling distance sleeve D3/5 [29-5146]
K44b	4.50	Headlamp cowling seal D1/3/5 [67-6851]
K44c	14.75	Headlamp nacelle backing trim chrome D7/10/14
K45	12.75pr.	Fork gaitors B175
K45a	10.25pr	Fork gaitors D14 sports/bushman
K46	p.o.a	Fork yolks

K46a	4.25pr.	Steering stem nuts D1
K46aa	11.75	Steering stem nut D3/5
K46ac	11.75	Steering stem nut D7/10/14
K46ad	N/A	Steering stem plug [90-5050] D1
K46ae	4.15	Steering dust cap [65-5321] all models
K46af	11.75	Steering stem nut B175
K46b	8.50	Steering stem adjusting sleeve D3/5 [29-5290]
K68	8.50ea.	H/bar top clamps most models [65-5333] chrome
K68a	6.50ea.	H/bar clamp seating D1 [90-5046] not 48/49
K68b	4.50ea.	H/bar top clamp D1 early models zinc plated
K68c	5.50ea.	Fork bottom end cap [90-5239] D7/10/14
K69	2.15ea.	H/bar clamp bolts D7/10/14 domed top chrome
K69a	1.75ea.	H/bar clamp bolts/nuts D1 zinc plated
K69aa	3.00ea.	H/bar clamp bolts/nuts D1 chrome
K69b	3.25ea.	H/bar clamp bolts B175 models stainless
K73	23.50	Head race set [cups/cones] state model
K74	3.25set	Balls for head race
Footrests & Rubbers		
K96	6.50	Footrest bar D1/3/5
K96a	0.80ea.	Footrest bar nuts D1/3/5
K96b	4.35ea.	Footrest bolt D7/10/14/B175 [75-4855]
K97	4.75ea.	Spacer tubes long for f/rest bar D1/3/5
K97a	4.25ea.	Spacer tubes short for f/rest bar D1/3/5
K50	5.75pr.	Front footrest rubbers D1/3/5
K51	5.75pr.	Front footrest rubbers D7/10/14/B175
K52	4.95pr.	Rear footrest rubbers
K53	9.75	Rear footrest assembly one side (state model & left or right side)
K54	1.20	Gear change rubbers
K55	1.25	Kick start rubbers (non -folding kick-start)
K55A	2.05	Kick start rubbers (folding kick-start)
Seats		
K56	28.50	Single saddle (c/w chrome springs)
K80	72.50	Dual seat standard D7/10/14/B175
K80A	92.50	Dual seat with hump D10/14 sports models
K64	22.50	Dual seat cover D7/10/14/B175 (all black-black/white/pin-grey/black) State which colours
K64A	22.50	Dual seat cover sports model (hump at rear)
K64B	8.25	Dual seat bracket rear D7/10/14 B175
Transfers & Badges		
K57	9.00pr	Transfers petrol tank (state model)
K58	3.85ea	Transfers side panel and D1/3 tool box
K59	2.25	Rear No. plate piled arms (125.150. 175cc)
K81	30.00pr	Tank badges D7 (pear shape)
K81A	2.25ea.	Backing rubber (pear shape)
K82	24.00pr.	Tank badges late D7/10/14/ B175 (round shape)
K82A	3.25ea.	Tank badge clip for the above

K82B	1.45	Tank badge screws round tank [set 4]
K82C	0.95ea	Tank badge screw (pear shape badge)
Stands & Springs		
K60	33.50	Centre stand D1/3/5
K60A	34.50	Centre stand D7/10/14
K60AA	34.50	Centre stand B175
K60B	1.95ea	Stand pivot bolt/nut D7/10/14
K60C	2.50ea	Stand pivot bolt nut B175
K61	9.25	Centre stand spring D1/3/5
K61A	7.75	Connecting link (C shape) D1/3/5
K61B	6.50	Stand brake top bracket D1/3/5
K61C	6.50	Pivot clip assembly for above D1/3/5
K62	4.25	Centre stand springs D7/10/14/ B175
K98	A/S	Side stand D7/10/14/B175 (fits on front engine mounting bracket as original)
K98A	12.95	Side stand (clamp on type for D7/10/14/B175)
K98B	13.95	Side stand (clamp on type - extra long for trials models)
K98C	11.95	Universal side stand (clamp on type for D1/3 rigid/plunger models)
Wheels, Brakes & Tyres		
K87	41.50	Wheel rims Italian chrome – state model
K87A	63.50	Wheel rims English chrome – ex. Quality –state model (3-4 week order time)
K88	1.25	Rim tape – state 18 or 19
K88A	25.50	Spoke set (spokes/nipples per wheel)
K88B	0.75ea	Spokes – state length/model/wheel
K89	8.50	Inner tubes 2.75/3.00 x 19 D1/3 (Michelin)
K90	8.50	Inner tubes 2.75/3.00 x18 D5/7/10/14/B175 (Michelin)
K90A	P.O.A	Tyres front/rear (state model)
K27	10.50	Wheel spindle D1/3/5 (front or rear state which)
K27A	12.75	Wheel spindle (front/rear state which) (D7/10/14/B175)
K27B	3.00	Nut wheel spindle D1/3/5 state which one front/rear
K27C	3.50	Nut rear wheel outer D7/10/14 (90-6222)
K27CB	2.25	Nut rear wheel spindle D7/10/14 (29-6238) thin one
K27CC	4.50	Nut front wheel spindle D7/10/14
K27D	1.25	Nut wheel spindle front/rear B175
K27E	1.00ea	Caps for chain adjusters D7/10/14/B175
K27F	8.25ea	Rear chain adjusters D7/10/14/B175 (90-6220)
K27G	3.50	Spacer for speedo (90- 6230) D7/10/14/ B175
K27H	7.50ea	Chain adjuster rigid models (90-6086)
K27J	7.50ea	Chain adjuster plunger models (90-6085)
K27K	2.00ea	Caps for chain adjusters D1/3 rigid & plunger (90-6084)
K28	3.75ea	Wheel bearings – state model & front or rear
K28A	0.75ea	Hub felt D1/3 front/rear
K28B	0.65ea	Hub felt retaining washer D1/3/55 front/rear (state model)
K28C	2.45	Dust cap (90-5539) front D1/3/5 rear D1 rigid

K28D	2.45	Dust cap (90-6072) rear D1/3/5 except rigid
K28E	3.25	Dust cap (90-5700) D7/10/14/B175
K28EE	2.45	Hub bearing circlip (90-5701) D7/10/14/B175
K28F	5.50	Hub bearing lock ring (90-5703) front left hand thread D7/10/14/B175
K28G	5.50	Hub bearing lock ring (90-6216) rear D7/10/14/B175
K23	16.50pr	Brake shoes (Ferodo) D1/3
K24	12.00pr	Brake shoes D5 (re-lined)
K25	16.50pr	Brake shoes Ferodo D7/10/14/B175
K25A	12.50pr	Brake shoes (grooved – suitable trials) D7/10/14/B175
K75	7.75	Brake rod (state model)
K76	0.95	Brake rod spring (all models)
K77	2.75	Brake rod adjusting nut (all models)
K77A	5.75	Brake pedal return spring D1/3/5
K77B	4.25	Brake pedal return spring D7/10/14/B175
K77C	7.50	Rear brake operating lever D7/10/14/B175
K77D	6.75	Front brake operating lever D7/10/14/B175
K77E	5.75	Front brake operating lever D1/3/5
K77F	10.50	Rear brake operating lever D1 rigid (90- 6026)
K77G	11.50	Rear brake operating lever D1/3 plunger (90-6043)
K77H	11.50	Rear brake operating lever D3/5 swinging arm (90-6140)
Mudguards		
K91A	12.95	Front mudguard loop stay D1/3/5
K91AA	14.50ea	Front mudguard stays (D1 valanced mudguard models)
K91B	6.50ea	Front mudguard stays D1/3/5 (state upper or lower)
K91bb	4.25ea	Front mudguard stay clip D1 [90-6507]
K91C	7.50ea	Front mudguard stays front D7/10/14 (state L or R)
K91D	5.50ea	Front mudguard clamp D7 single hole type
K91E	6.25ea	Front mudguard clamp 2 hole type D7/10/14 (90-6564)
K91F	6.50ea	Front mudguard stays B175
K91G	10.50pr	Front fork mudguard bracket B175 std (97-3781 & 97-3782)
K91H	10.50pr	Front fork mudguard bracket B175 Bushman (97-3783)
K92	14.00pr	Rear mudguard stays D1/3 rigid & plunger
K92A	A/s	Front mudguard D1/3/5
K92C	50.00	Rear mudguard (new old stock) late D7/10/14/B175
K95	29.50	Rear rack plunger models
K105	19.25	Rear no. plate D1/3 (K5 light triangular shaped top)
K105A	18.50	Rear no. Plate D1/3 1954 on (K5B light with round reflector)
K105B	18.50	Rear no. Plate D3 s/arm models (K5B light with round reflector)
K105C	18.50	Rear no. Plate D5/7 early models 6digit models
K105D	17.50	Rear no. Plate 7 digits D7/10/14/B175
K105E	16.50	Front number blade (state model)
K105EE	7.25pr.	Front no. blade mtg. bracket (pair)
K105F	5.75	Rear round reflector for no. Plates
K106	0.30ea	White registration letters & numbers (state front or rear)

Panels & Fittings		
K93	A/S	Toolbox D1/3 (ex quality complete with brackets) state 1 or 2 screw Direct/Battery)
K94	7.50	Toolbox lid for above (metal) (State 1 or 2 screw)
K94A	3.50	Dzus fastener for above (single screw)
K125	9.25	Battery carrier strap D1/3
K126	26.50	Battery carrier (some D1/3 models) near side fit – needs strap to complete
K127	8.50	Headlamp bracket early D1 models (90-5013)
K128	12.50	Headlamp bracket nacelle D1 1954 on (90-5102)
K129	12.50	Headlamp bracket nacelle D3/5 (29-5132)
K130	1.75	Bumper bar front down tube clip (90-7196) D1/3/5
K131	1.75	Bumper bar leg shield clip (90-3021) required when bar & leg shields are both fitted
K70	2.95	Side panel (or toolbox) screw hollow D1/3/5/7/10/14/B175
K70A	0.50	Circlip for side panel screw
K71	4.20	Side panel oddie stud D10/14/B175
K72	0.80pr	Rubbers for oddie stud (one pair each oddie)
Rear suspension		
K29	22.95	Swinging arm spindle D7/10/14/ (26tpi)
K29A	22.95	Swinging arm spindle B175 (u.n.c thread only)
K29B	2.35ea	Swinging arm spindle bolts – state model
K30	6.00pr	Swinging arm bushes D7/10/14/B175
K30a	2.65set	Shims swinging arm
K30b	0.85ea	Grease nipple for swinging arm bolt
K30C	10.50ea	Bush metalastic for S/arm D3/5
K30D	6.00	Bolt S/arm D3/5 [90-4240]
K31	26.50	Fit and ream S/arm bushes to suit D7/10/14/B175
K108	49.50pr	Rear shock absorbers (pattern) chrome spring, suit D7/10/14/B175 (complete with bushes)
K108A	59.50pr.	Rear shock absorbers (pattern) replica std. D7- B175
K109	5.50ea	Rear shock absorber bushes-state top or bottom D7/10/14/B175
K110	7.75ea	Rear plunger bushes D1/3
K110A	4.75ea	Plunger spring collar top [90-4115]
K110B	3.25ea	Plunger spring collar bottom [90-4112]
K78	6.25ea	Rear plunger covers plain [state top or bottom] D1/3
K79	9.25ea	Rear plunger covers chrome [state top or bottom] D1/3
K79A	7.50ea	Spring plunger top [90-4103]
K79B	5.00ea	Spring plunger bottom [90-4104]
K112	2.20ea	Rear plunger bump rubbers
Mirrors		
M1	12.95	Mirror continental head 14" arm clamp on [chrome]
M2	21.25	Mirror bar end conti. head [stainless]
M2a	21.25	Mirror bar end round head [stainless]
M3	12.95	Mirror round head 14" arm clamp on [chrome]
M4	9.25	Tax disc holder [stainless-classic style]

Fuel & Carb.		
K100	19.50	Petrol tap complete late D7/10/14/B175
K100aa	19.50	Petrol tap complete D1/3/5/early D7
K100ab	19.50	Petrol tap with reserve - lever type D1/3/5/7[early]
K100a	36.50	Petrol tap with reserve late D7/10/14/B175
K100b	23.50	Petrol tap c/w clear pipe & banjo (concentric carb. models)
K100c	2.50ft.	Petrol pipe [state clear or black]
K100d	10.50	Petrol cap chrome plain vented [D5/7/10/14/B175]
K100e	11.50	Petrol cap chrome plain vented D1/3
K101	5.25	Petrol tap plunger with cork [fits in tap]
K102	1.05	Petrol tap plunger screw
K103	85.50	Carburettor new concentric [can be jetted for all 175cc]
K103aa	2.15	Carb. Gasket set 361/523 D1/3 [state which]
K103a	2.25	Carb. Gasket set 375/376 D7/10 [3 speed] [state which]
K103b	2.95	Carb. Gasket set 600 series concentric D10/14/B175
K103c	1.85	Insulating flange gasket [3mm thick]
K103d	1.25	O-ring carb. all types state 375/376/626
K104	14.75	Air filter [pancake type] 376/626 carbs only
K104a	7.50	Paper element [replacement for above]
K104b	9.50	Mesh element [replacement for above]
K104c	12.50	Air hose D14/B175 models [82-8325]
K120	3.95	Main jets various
K121	6.50	Needle jet for carbs 375/376/626 state which model
K121aa	9.75	Needle jet for carbs 361/523 state which model
K121a	4.50	Throttle needle 626 carb.
K121ab	7.50	Throttle needle 361/523 carbs state which model
K121b	10.50	Throttle needle 375/376 carbs state which model
K121c	1.95	Needle clip 626 carbs
K121cc	2.15	Needle clip 375/376 carbs
K121d	4.75	Pilot jet 375/376/626 carbs state which model
K121e	8.95	Float 626 carbs
K121f	0.85	Float spindle 626 carbs
K121g	4.25	Float needle 375/376/626 carbs
K121h	5.75	Float needle 523 carbs. D3 models
K121i	A/S	Float D1 models
K121j	14.25	Choke slide 375/376 carb. D7/10 models state which
K121k	5.25	Choke slide 626 carbs.
K121l	1.75	Choke spring 375/376/626 carbs state which
K122	4.50	Banjo metal 375/376/626 carbs
K122a	2.75	Banjo bolt 375/376/626 carbs state which
K122b	2.45	Banjo filter 375/376/626 carbs
K124	1.75	Throttle spring all state model
K124a	10.45	Throttle slide 626 carb state model
K124aa	12.45	Throttle slide chrome plated 626 carbs state model
K124b	18.50	Throttle slide no.5 361 D1 carbs
K124c	18.50	Throttle slide no.5 523 D3 carbs
K124d	21.50	Throttle slide 375/376 carbs state model
K124e	2.65	Throttle stop screw 375/376 carbs
K124f	2.50	Air adjusting screw 375/376 carbs
K124fe	2.10	Spring for K124e/K124f

K124g	1.75	Throttle adjusting screw 626 carbs
K124h	1.75	Air adjusting screw 626 carbs
K124i	0.50	O-ring for above screws 626 carbs
K124j	2.50	Cable adjuster and nut all carbs
K124k	1.75	Throttle ferrule [cable entry on twist grip]
Paint		All professional quality cellulose enamel
P001	22.50	Mist Green - tin, 500ml
P001A	16.50	Mist Green - aerosol, 400ml
P002	22.50	Maroon – tin, 500ml
P002A	16.50	Maroon –aerosol, 400ml
Helpful Bits	*No VAT	
L1	10.75	Flywheel extractor D1/3/5/7
L2	14.75	Clutch compressor – all models
L3	13.50*	Haynes Workshop Manual – all models
L4	5.25*	Owners Handbook – state mode
L5	0.30*	Wiring diagrams - state model, year & battery or direct
L6	12.50*	BSA Service Sheets (Workshop Manual D1/3/5/7)
L7	14.50*	BSA Workshop Manual D10/14/B175
L10	12.50*	BSA Parts Book – state year & model
L11	7.25	Rhodoseal jointing compound (the best we have used) 100ml tube
L12	3.25	Gasket compound (red hermatite) 50ml
L13	6.25	Piston ring clamp – state engine size
L14	7.50	C spanner exhaust nut 1 3/8 pipe D1/3/5/7/10
L15	7.50	C spanner exhaust nut 1 3/4 D14/B175
L16	6.25	Top dead centre tool
L16A	4.25	Timing disc
L17	19.50	Box spanner set of 4 (1/8 th x 9/16 th)
L18	4.50	Box spanner 1/4 x 5/16 th Whitworth
L19	13.75	Oil seal holder tool (B175 forks)
L20	8.25	Oil seal holder tool D7/10/14 forks
L21	7.25	Clutch holding tool for tightening/un-tightening clutch centre nut

Nuts & bolts		
N1	14.00	Engine bolt mounting set [4 bolts/nuts washers stainless steel]
N1a	8.00	Front eng. mtg. bolts stainless steel [use when fitting K98 stand]
N1b	2.00	Front eng. mtg. bolts high tensile [use when fitting K98 stand]
N2	1.50	Fork top yoke clamp bolt D7/10/14/B175 models 90-5250
N2a	4.00	Fork top yoke clamp bolt stainless D7/10 etc
N3	1.75	Fork bottom yoke clamp bolt D7/10/14/B175 90-5720
N3a	4.50	Fork bottom yoke clamp bolt stainless D7/10/14 etc
N4	2.00	Rear shock absorber top mtg. bolt D7/10/14/B175
N4A	4.50	Rear shock absorber top mtg. bolt stainless D7/10/14/B175
N5	0.30ea	Rear shock absorber lower mtg. nuts D7/10/14/B175
N5a	1.25ea	Rear shock absorber lower mtg. nuts stainless D7/10 etc
N6	1.25ea	Fork bottom leg cap/wheel spindle mtg bolt 90-5240
N6a	1.25ea	Fork bottom leg cap/wheel spindle mtg bolt D14 sports/Bushman
N7	0.45ea	Petrol tank front mtg. bolt
N7a	2.45ea.	Petrol tank front mtg. bolt stainless steel
N7b	1.25	Petrol tank rear mtg. bolt (state model)
N8	2.25	Alternator stator front mtg long hex nut 90-1593 D10/14/B175
N8a	1.25ea	Alternator stator spacer [3 of] 90-1608 D10/14/B175
N9	2.75ea	Dowel long tube [joins engine cases front/rear] 90-109
N10	1.25ea	Dowel short tube [joins outer covers to inner] 90-108
N11	0.60	Dowel short solid [locates cases] 90-110
N12	5.25	Brake pedal pivot bolt/nut 90-7024 D7/10/14/B175
N13	0.80	Fork scroll nuts [small hex nuts] fit in fork nut recess D7/10/14
N14	1.45ea	Rear foot/rest hanger bracket mtg bolt 21-5724
N15	0.85ea	Grease nipples(state where to be fitted)
N16	0.65ea	Points cover screws D10/14/B175
N17	1.00ea	Points round cover screws D1/3/5/7
N18	0.50ea	M/guard fixing bolt/nut/washer 21-5611 D7/10/14/B175
N19	0.50ea	M/guard fixing bolt/nut/washer 21-5612
N20	15.95	Allen screw set for engine cases inner & outer - state model/year
N21	8.95	Allen screw set for engine case outer covers - state model/year
N21a	0.10ea.	Spring washers suitable for engine case screws
N22	2.45	Flywheel mag nut D1/3/5/7
N22a	0.25	Flywheel mag. nut lock washer
N23	4.50	Alternator stator locknut (state model)
N23a	0.35	Alternator stator lockwasher
N24	1.75ea.	Carb. studs D7/10/14 (cycle/bsf)
N25	1.75ea.	Carb. studs B175 (unc/unf)