



ELSEVIER

Available online at www.sciencedirect.com



Computers & Industrial Engineering 46 (2004) 533–551

**computers &
industrial
engineering**

www.elsevier.com/locate/dsw

Hierarchical production planning with demand constraints[☆]

Hong-Sen Yan^{*}, Xiao-Dong Zhang, Min Jiang

Research Institute of Automation, Southeast University, Nanjing, Jiangsu 210096, China

Received 31 January 2003; revised 25 November 2003; accepted 7 January 2004

Abstract

This paper explores the hierarchical production planning (HPP) problem of flexible automated workshops (FAWs), each of which has a number of flexible manufacturing systems (FMSs). The objective is to decompose medium-term production plans (assigned to an FAW by ERP/MRP II) into short-term production plans (to be executed by FMSs in the FAW) so as to minimize cost on the condition that demands have just been met. Herein, the HPP problem is formulated by a linear programming model with the overload penalty different from the underload penalty and with demand constraints. Since the scale of the model for a general workshop is too large to be solved in the simplex method on a personal computer within acceptable time, Karmarkar's algorithm and an interaction/prediction algorithm, respectively, are used to solve the model, the former for the large scale problems and the latter for the very large scale. With the help of the above-mentioned algorithms and HPP examples, Karmarkar's algorithm and the interaction/prediction algorithm are compared and analyzed, the results of which show that the proposed approaches are quite effective and suitable for both 'push' and 'pull' production.

© 2004 Elsevier Ltd. All rights reserved.

Keywords: Flexible automated workshops; Flexible manufacturing systems; Hierarchical production planning; Karmarkar's algorithm; Interaction/prediction approach

1. Introduction

The problem of production planning for a flexible automated workshop (FAW) consisting of flexible manufacturing systems (FMSs or cells) is important and worth studying. In a manufacturing setting, production planning is essential to achieve efficient resource allocation over time in meeting demands for finished products. Since the scope of PP problems generally prohibits a monolithic modeling approach, a hierarchical production planning (HPP) approach has been widely

[☆] This manuscript was processed by Area Editor M. Dessouky.

^{*} Corresponding author. Tel.: +86-25-8379-2418; fax: +86-25-5771-2719.

E-mail address: hsyan@seu.edu.cn (H.-S. Yan).

advocated in the PP literature (Davis & Thompson, 1993). To model PP problems, the existing hierarchical approaches usually employ the following concepts: (1) product disaggregation (Bitran, Haas, & Hax, 1981; Bitran & Hax, 1977; Davis & Thompson, 1993; Graves, 1982; Hax & Meal, 1975; Newson, 1975; Saad, 1988; Simpson, 1999; Simpson & Erenguc, 1998; Yeh, Tarng, & Chen, 1988), (2) temporal decomposition (Karmarkar, 1988; Malakooti, 1989; Nguyen & Dupont, 1993; Qiu & Burch, 1997; Tsubone, 1988), (3) process decomposition (Villa, 1989), and (4) event-frequency decomposition (Akella, 1989; Gershwin, 1988; Kimemia & Gershwin, 1983). However, those approaches are not quite suitable for the decomposition of medium-term production plans (assigned to an FAW by ERP/MRP II short for enterprise resource planning/manufacturing resource planning) into short-term production plans (to be executed by FMSs in the FAW). To be specific, the product disaggregation only considers the structures of products instead of the organizational structure of a manufacturing department. Although the process decomposition considers the organizational structure of the manufacturing department, it only covers the manufacturing system consisting of a forward chain of workshops. As the relationships among FMSs in an FAW are not always serial or even very complicated, the process decomposition is inapplicable to the decomposition of medium-term production plans for FAWs. And the temporal and event-frequency decomposition do not consider the organizational structure of the manufacturing department as such, either.

For this end, Yan (1997) and Yan and Jiang (1998) proposed two new approaches to the optimal decomposition of production plans for FAWs with respect to delay interaction or not. By building up linear quadratic models of PP problems and using interaction/prediction, their proposed approaches optimally decompose medium-term production plans (assigned to an FAW by MRP II/CIMS short for computer integrated manufacturing system) into short-term production plans (to be executed by FMSs in the FAW) at a high speed. These approaches, combining the principles of both a temporal decomposition and a process decomposition with the organizational structure of the FAW, are capable of solving very-large-scale HPP problems. However, their overload and underload penalty are the same. In practice, the wages for overtime are several times those for the usual hours and the underload only leads to the decrease in the utilization of resources (such as men and equipment), so the overload penalty should be much greater than the underload. Besides, only the manufacturers, that can agilely respond to and completely satisfy users' demands, can win a victory in the keen competition for markets, while the overproduction will lead to the increase in finished-product inventory and production cost. No doubt, it is desirable to just meet product demands without overproduction or underproduction. Thus, a linear programming (LP) model with the overload penalty different from the underload penalty and with demand constraints should be built up, for decomposing medium-term production plans (assigned to an FAW by ERP/MRP II) into short-term production plans (to be executed by FMSs in the FAW). Because the model for a general workshop is of thousands upon thousands of constraints and variables, it is difficult to be solved by the simplex method on a personal computer within acceptable time. For this end, we propose that Karmarkar's algorithm and an interaction/prediction approach based on Karmarkar's algorithm, respectively, should be applied to solving the model, the former for the large scale problems and the latter for the very large scale. The above-mentioned LP problem is also an HPP problem because the Karmarkar's algorithm and interaction/prediction approach based on Karmarkar's algorithm for solving it are in fact the methods to combine the principles of both a temporal decomposition and a process one in HPP with the organizational structure of the FAW.




Fig. 1. Topologic structure of FAW's LAN (Yan & Jiang, 1998).

2. Production planning model

An FAW under consideration in this paper is generalized from the flexible automated workshop of the CIMS in the Chendu Aircraft Industry Company, which has two FMSs and two flexible direct numerical control systems. To solve the general problem of HPP, we suppose that an FAW consists of a shop computer, a material handling system (MHS), a tool handling system (THS), a shop testing and monitoring system (STMS), and FMS_{1-m} . They are connected by a local area network (LAN), as shown in Fig. 1. The shop computer manages the production of the FAW. Its main functions are: (1) receiving medium-term production plans from ERP/MRP II and decomposing them into short-term production plans (sent to the FMSs in the FAW); (2) from short-term production plans, developing tool requirement plans (sent to the THS) and material requirement plans (sent to the MHS); and (3) reporting, in time, to ERP/MRP II on error information, production situations and so on. Each of the FMSs in the FAW can produce finished products or semi-finished products (which need sending to the successive FMSs for further processing). The main functions of the FMSs are: (1) executing short-term production plans coming from the shop computer, and (2) reporting to the shop computer on the error information and production situations in time (Yan, Wang, Cui, & Zhang, 1997; Yan, Wang, Zhang, & Cui, 1998). The layout of the FAW is shown in Fig. 2, in which the transfer of workpieces among FMSs and between FMSs and the shop storage is described, with other details omitted.

The objective of HPP in the FAW is to obtain the lowest cost by simultaneously minimizing the amount of in-process inventory, and the overload and underload on working centers over a finite horizon of n time periods. Thus, the objective function of the HPP problem for the FAW can be described as




Fig. 2. Layout of FAW (Yan & Jiang, 1998).

follows:

$$J = \sum_{i=1}^m \left\{ \mathbf{a}_i^T \mathbf{x}_i(n+1) + \sum_{k=1}^n [\mathbf{a}_i^T \mathbf{x}_i(k) + \mathbf{b}_i^{+T} \Delta^+ \boldsymbol{\beta}_i(k) + \mathbf{b}_i^{-T} \Delta^- \boldsymbol{\beta}_i(k)] \right\} \quad (1)$$

where

- m number of FMSs in an FAW.
- n number of planning periods in a planning horizon H . H is generally a month or a week. A planning period is shorter than H . A period is usually a week, a day or a shift.
- m_i number of working centers in FMS $_i$.
- n_i number of types of workpieces which are manufactured by FMS $_i$ over H .
- $\mathbf{x}_i(k)$ in-process inventory of FMS $_i$ at the beginning of period k for $k = 1, 2, \dots, n+1$. It is an n_i dimensional column vector.
- $\Delta^+ \boldsymbol{\beta}_i(k)$ overload (or overtime) on working centers (NC machines, machining centers, etc.) of FMS $_i$ in period k . It is an m_i dimensional column vector.
- $\Delta^- \boldsymbol{\beta}_i(k)$ underload (or idle time, undertime) on working centers of FMS $_i$ in period k . It is an m_i dimensional column vector.
- \mathbf{a}_i cost relative to an item of in-process inventory in FMS $_i$. It is an n_i dimensional column vector.
- \mathbf{b}_i^+ cost coefficient related to overtime in FMS $_i$. It is an m_i dimensional column vector.
- \mathbf{b}_i^- cost coefficient related to idle resources (men, machines, etc.) in FMS $_i$. It is an m_i dimensional column vector.

The FAW's dynamic equation can be denoted by

$$\mathbf{x}_i(k+1) = \mathbf{x}_i(k) - \mathbf{u}_i(k) + z_i(k) + G_i \mathbf{r}(k) \quad (2a)$$

$$\text{initial condition } \mathbf{x}_i(1) = \mathbf{x}_{i1} \quad (2b)$$

$$i = 1, 2, \dots, m; \quad k = 1, 2, \dots, n$$

where

- n_f number of types of finished products which are processed by the FAW over H .
- $\mathbf{u}_i(k)$ workpieces (finished or semi-finished products) of planned production by FMS $_i$ in period k . It is an n_i dimensional column vector.
- $z_i(k)$ number of semi-finished products which are sent from the other FMSs to FMS $_i$ in period k . It is also known as interaction input and is an n_i dimensional column vector.
- $\mathbf{r}(k)$ input of blanks into the FAW in period k . It is an n_f dimensional column vector. Each of its components corresponds to products of a type.
- G_i an $n_i \times n_f$ Boolean matrix. It is an input matrix of FMS $_i$.

Suppose that the time for transferring a workpiece between FMSs can be omitted. That is, as soon as a semi-finished product has been processed by an FMS, it will be sent to another FMS. And it hardly takes

time to transfer the semi-finished product. Then the interaction equation can be represented by

$$z_i(k) = \sum_{j=1}^m L_{ij} \mathbf{u}_j(k) \quad (3)$$

where

L_{ij} an $n_i \times n_j$ Boolean interaction matrix. It reflects the interaction between output of semi-finished products from FMS_{*j*} and input of semi-finished products into FMS_{*i*}. The equation of a balance between the load and the capacity of FMS_{*i*} in period k is represented by

$$T_i \mathbf{u}_i(k) - \Delta^+ \boldsymbol{\beta}_i(k) + \Delta^- \boldsymbol{\beta}_i(k) = \boldsymbol{\beta}_i(k) \quad (4)$$

where

T_i an $m_i \times n_i$ matrix, the element at the j th row and the l th column of which represents the processing time (it takes the j th working center in FMS_{*i*} to process an item of workpieces of the l th type).

$\boldsymbol{\beta}_i(k)$ processing time available to working centers of FMS_{*i*} in period k . It is an m_i dimensional column vector.

The demand constraint of FMS_{*i*} can be represented by

$$\sum_{k=1}^n C_i \mathbf{u}_i(k) = \mathbf{d}_i \quad (5)$$

where

C_i an $n_f \times n_i$ Boolean matrix. It is an output matrix of FMS_{*i*}.

\mathbf{d}_i demands for products out of FMS_{*i*} over H . It is an n_f dimensional column vector.

The output equations of products from the FAW can be described by

$$\mathbf{y}(k) = \sum_{i=1}^m \mathbf{y}_i(k) \quad (6)$$

$$\mathbf{y}_i(k) = C_i \mathbf{u}_i(k) \quad (7)$$

where

$\mathbf{y}(k)$ finished products of planned production by the FAW in period k . It is an n_f dimensional column vector whose j th ($j = 1, 2, \dots, n$) component is the yield of products of the j th type.

$\mathbf{y}_i(k)$ finished products of planned production by FMS_{*i*} in period k . It is a part of $\mathbf{y}(k)$, and is also an n_f dimensional column vector.

The nonnegativity constraints read as follows:

$$\mathbf{x}_i(k) \geq 0, \mathbf{u}_i(k) \geq 0, \Delta^+ \boldsymbol{\beta}_i(k) \geq 0, \Delta^- \boldsymbol{\beta}_i(k) \geq 0 \quad (8)$$

Now, we can formulate as follows the problem of optimal HPP for the FAW to minimize cost under the condition of demands' being just met:

$$[\text{P1}] \text{ Min } J = \sum_{i=1}^m \left\{ \mathbf{a}_i^T \mathbf{x}_i(n+1) + \sum_{k=1}^n [\mathbf{a}_i^T \mathbf{x}_i(k) + \mathbf{b}_i^{+T} \Delta^+ \boldsymbol{\beta}_i(k) + \mathbf{b}_i^{-T} \Delta^- \boldsymbol{\beta}_i(k)] \right\} \quad (9)$$

subject to Eqs. (2)–(5) and (8).

3. By Karmarkar's algorithm

For small scale problems, problem [P1] can be solved by the simplex method. However, for a general workshop, problem [P1] will be of thousands upon thousands of constraints and variables, so that it is difficult to obtain its optimal solution through the simplex method on a personal computer within acceptable time. Therefore, we prefer to solve problem [P1] by Karmarkar's algorithm, because large-scale linear programming problems can be solved by Karmarkar's algorithm much faster than by the simplex method (Adler, Resende, Velga, & Karmarkar, 1989). For this end, we substitute Eq. (3) into Eq. (2a) to remove variable $z_i(k)$ and change problem [P1] into

$$[\text{P2}] \text{ Min } J = \sum_{i=1}^m \left\{ \mathbf{a}_i^T \mathbf{x}_i(n+1) + \sum_{k=1}^n [\mathbf{a}_i^T \mathbf{x}_i(k) + \mathbf{b}_i^{+T} \Delta^+ \boldsymbol{\beta}_i(k) + \mathbf{b}_i^{-T} \Delta^- \boldsymbol{\beta}_i(k)] \right\} \quad (10a)$$

$$\text{subject to } -\mathbf{x}_i(k) + \mathbf{x}_i(k+1) + \mathbf{u}_i(k) - \sum_{j=1}^m L_{ij} \mathbf{u}_j(k) = G_i \mathbf{r}(k) \quad (10b)$$

$$T_i \mathbf{u}_i(k) - \Delta^+ \boldsymbol{\beta}_i(k) + \Delta^- \boldsymbol{\beta}_i(k) = \boldsymbol{\beta}_i(k) \quad (10c)$$

$$\sum_{k=1}^n C_i \mathbf{u}_i(k) = \mathbf{d}_i \quad (10d)$$

$$\mathbf{x}_i(1) = \mathbf{x}_{i1} \quad (10e)$$

$$\mathbf{x}_i(k) \geq 0, \mathbf{u}_i(k) \geq 0, \Delta^+ \boldsymbol{\beta}_i(k) \geq 0, \Delta^- \boldsymbol{\beta}_i(k) \geq 0 \quad (10f)$$

Arranging all the variables in proper order, we can change problem [P2] into a standard linear programming problem as follows:

$$[\text{P3}] \text{ Min } \mathbf{b}^T \mathbf{y} \quad (11a)$$

$$\text{subject to } A^T \mathbf{y} = \mathbf{c} \quad (11b)$$

$$\mathbf{y} \geq 0 \quad (11c)$$

where A is a full rank $m' \times n'$ matrix (where $m' \geq n'$), \mathbf{b} and \mathbf{y} are m' dimensional column vectors, and \mathbf{c} is an n' dimensional column vector.

Problem [P3] can be transformed into the corresponding dual linear programming problem and then into a standard form suitable for being solved by Karmarkar's algorithm I (Adler, Resende, Velga & Karmarkar, 1989). Karmarkar's algorithm provides an approach to the use of a nonlinear programming method for solving linear programming problems by the implicit formulation of a logarithmic objective function. Starting at an interior feasible solution \mathbf{x}^0 , the algorithm generates a sequence of feasible interior points $\{\mathbf{x}^1, \mathbf{x}^2, \dots, \mathbf{x}^k, \dots\}$ with monotonically increasing objective values, terminating when a stopping criterion is satisfied (Adler, Resende, Velga & Karmarkar, 1989). Thus, it is an interior point method for linear programming. Since the algorithm requires that an initial interior feasible solution be provided, a Phase I/Phase II scheme (Adler, Resende, Velga & Karmarkar, 1989) is used.

4. By interaction/prediction approach

The advantage of solving problem [P3] by Karmarkar's algorithm is that the optimal solution can be obtained. However, with the increase of FMSs, of working centers and of types of workpieces, constraints and variables in problem [P3] will increase quickly, finally resulting in a failure to acquire the optimal solution through Karmarkar's algorithm on a personal computer within acceptable time. Thus, the larger scale problems should be solved by the interaction/prediction approach based on Karmarkar's algorithm. Its basic ideas are: (1) by predicting interactions among FMSs, the FAW's optimal HPP problem [P1] is divided into m FMSs' optimal PP sub-problems; (2) then solving each of the sub-problems; and (3) improving the predictions and continuing the first two steps until the solution is obtained. In the following, we shall go into details.

For any given $z = z^*$, problem [P1] can change into m FMSs' optimal PP sub-problems. Thus, the FMS $_i$'s optimal PP sub-problem at the first level in the planning hierarchy becomes

$$[P4] \text{ Min } J_i = \mathbf{a}_i^T \mathbf{x}_i(n+1) + \sum_{k=1}^n [\mathbf{a}_i^T \mathbf{x}_i(k) + \mathbf{b}_i^{+T} \Delta^+ \boldsymbol{\beta}_i(k) + \mathbf{b}_i^{-T} \Delta^- \boldsymbol{\beta}_i(k)] \quad (12a)$$

$$\text{subject to } -\mathbf{x}_i(k) + \mathbf{x}_i(k+1) + \mathbf{u}_i(k) = z_i^*(k) + G_i \mathbf{r}(k) \quad (12b)$$

$$T_i \mathbf{u}_i(k) - \Delta^+ \boldsymbol{\beta}_i(k) + \Delta^- \boldsymbol{\beta}_i(k) = \boldsymbol{\beta}_i(k) \quad (12c)$$

$$\sum_{k=1}^n C_i \mathbf{u}_i(k) = \mathbf{d}_i \quad (12d)$$

$$\mathbf{x}_i(1) = \mathbf{x}_{i1} \quad (12e)$$

$$\mathbf{x}_i(k) \geq 0, \mathbf{u}_i(k) \geq 0, \Delta^+ \boldsymbol{\beta}_i(k) \geq 0, \Delta^- \boldsymbol{\beta}_i(k) \geq 0 \quad (12f)$$

Problem [P4] can be solved by Karmarkar's algorithm in Section 3 to obtain $\mathbf{u}_i(k)$. Then $z_i^*(k)$ are improved at the second level (coordination level) in the planning hierarchy by using

$$[z_i^*(k)]^{l+1} = \left[\sum_{j=1}^m L_{ij} \mathbf{u}_j(k) \right]^l \quad i = 1, 2, \dots, m; \quad k = 1, 2, \dots, n \quad (13)$$

where l is the number of iterations.

From this, we can get the algorithm for solving the FAW's optimal HPP problem [P1] as follows:

Algorithm 1. Interaction/prediction algorithm for FAW's optimal HPP under the condition of demands' being just met:

Step 1. At the coordination level, let $l = 1$ and make conjectures upon initial values $z_i(k) = z_i^*(k)$ for $i = 1, 2, \dots, m; k = 1, 2, \dots, n$. Then send them to the first level.

Step 2. Using Karmarkar's algorithm, solve problem [P4] to obtain $\mathbf{u}_i(k)$ ($k = 1, 2, \dots, n$) and $\mathbf{x}_i(k)$ ($k = 2, \dots, n + 1$), $i = 1, 2, \dots, m$.

Step 3. Examine the norms $\|z_i^*(k) - \sum_{j=1}^m L_{ij} \mathbf{u}_j(k)\|_2$ in order to see whether they are all less than a very little positive numeric. If they are, go to Step 5. Otherwise, go to Step 4.

Step 4. Using Eq. (13), update $z_i^*(k)$. Let $l = l + 1$. Then go to Step 2.

Step 5. Stop iteration. Output short-term production plans $\mathbf{u}_i^*(k)$ to be executed by FMS_{*i*}, finished products $\mathbf{y}_i^*(k)$ of planned production by FMS_{*i*}, in-process inventory $\mathbf{x}_i^*(k)$ of FMS_{*i*} and the lowest cost J^* .

By predicting interactions among FMSs, Algorithm 1 decomposes the FAW's optimal HPP problem into m FMS's optimal PP sub-problems, reducing the complexity of the problem greatly and hence speeding up the process of solving the problem. However, it cannot guarantee that the obtained solution is optimal.

5. Computational experiments

Karmarkar's algorithm in Section 3 and the interaction/prediction algorithm (Algorithm 1) in Section 4 have been implemented in VC⁺⁺ 5.0. As A in Eq. (11b) is usually a large-scale sparse matrix, so only nonzero elements of each column in A are stored by a single-chained-list structure in the implementation of the two kinds of algorithms, to save the required storage space and to speed up the process of solving the HPP problem. The search directions of Karmarkar's algorithm can be computed by using the improved Cholesky factorization method (an LU factorization method of symmetric positive definite matrices) (Yuan, Zhang, Huang, & Wen, 1992) or by using the incomplete Cholesky factors as preconditioners for a conjugate gradient method (for short, ICCG method) (Hu, 1991). The results obtained after solving a number of HPP problems show that when the number of iterations of Karmarkar's algorithm is less than 12, the speed of computing search directions by the ICCG method is faster than by the improved Cholesky factorization method, but when the number of iterations is greater than 12, the speed by the former is usually slower or even far slower than by the latter. Thus, in the implementation of the two kinds of algorithms, the ICCG method is adopted for the first 11 iterations and the improved Cholesky factorization method adopted after the 11th iteration. In the following,

the application of, and the comparison between, the two kinds of algorithms are presented through examples of HPP in FAWs.

In the following examples, the parameters of Karmarkar’s algorithm in Section 3 as well as Karmarkar’s algorithm in Algorithm 1 are set as follows (Adler, Resende, Velga & Karmarkar, 1989). The safety factor parameter is set to $\gamma = 0.89$ for the first 10 iterations and $\gamma = 0.85$ thereafter. Both algorithms are terminated when the relative improvement in the objective function falls below $\varepsilon = 10^{-5}$. In phase I, the value of the artificial variable cost defined in Eq. (4.7) (Adler, Resende, Velga & Karmarkar, 1989) is determined by the constant $\mu = 10^5$, the feasibility tolerance is set to $\varepsilon_f = 0.01$, and the condition $\mathbf{x}_a^k < 0$ satisfied by an interior feasible solution (Adler, Resende, Velga & Karmarkar, 1989) changes into $\mathbf{x}_a^k < \varepsilon'$ ($\varepsilon' = 10^{-6}$). The diagonal update tolerance is set to $\delta = 0.1$. In the implementation of the ICCG method, the parameter ω in the incomplete Cholesky factors is set to 0.6 and the termination tolerance of the conjugate gradient algorithm is set to $\varepsilon_{cg} = 10^{-12}$ for the norm $\|\cdot\|_\infty$ (Hu, 1991).

The termination condition of Algorithm 1 is that each norm $\|\cdot\|_2$ in Step 3 is less than 0.1.

5.1. Push production

A push system produces finished or semi-finished products from the given production plan and the given blanks input, i.e. pushing the production by the plan and the blanks input. Presented in the following are 15 HPP examples (EX1 to EX15) for push production.

In Table 1, the results are obtained on a Pentium 2.4 GHz personal computer with 256 M memory under Windows XP. The conditions of EX2 are the same as those of EX1 except that \mathbf{x}_{i1} are zero vectors and $\mathbf{r}(k) = \mathbf{d}/10$ for $k = 1 - 10$. The detailed conditions and results of EX1 are shown in Appendix A. On average, Algorithm 1 is 56.49% faster than Karmarkar’s algorithm. But the optimal objective values for

Table 1
Comparative results of the two algorithms

Example	FMS number	Types of part	Period number	A in Eq. (11b)		Karmarkar’s algorithm		Algorithm 1	
				Row \times column	Nonzero elements	Running time(s)	J^*	Running time(s)	J^*
EX1	5	6	10	700 \times 356	1502	3.391	554.600000	2.343	554.600000
EX2	5	6	10	700 \times 356	1502	3.391	216.950000	2.360	216.950000
EX3	6	20	10	2600 \times 1320	8342	83.360	370.900000	35.281	371.365648
EX4	8	30	10	2800 \times 1430	7211	61.500	87.993783	21.765	88.129604
EX5	4	4	40	2560 \times 1284	5544	179.828	46.300000	177.109	46.325144
EX6	4	6	40	2080 \times 1046	4745	65.390	38.000000	60.671	38.000000
EX7	4	6	40	2320 \times 1166	5223	88.891	39.500000	87.218	39.502345
EX8	4	6	40	2960 \times 1486	6859	199.563	53.600000	189.703	53.628352
EX9	5	6	40	2800 \times 1406	6062	142.062	867.800000	89.235	867.800000
EX10	4	6	40	2560 \times 1286	5702	108.047	330.400000	116.421	330.400000
EX11	5	7	40	3680 \times 1847	8457	375.438	98.200000	267.093	98.214338
EX12	4	10	40	4320 \times 2170	11,006	402.500	240.800000	355.828	240.804413
EX13	6	20	40	10,400 \times 5220	33,632	7923.781	1483.600000	3178.890	1483.695773
EX14	8	30	40	11,200 \times 5630	29,141	2863.016	352.000000	1349.109	352.002778

Algorithm 1 are, on the average, 0.03% greater than those for Karmarkar's algorithm. Although the numbers of part types and FMSs, and the size of matrix A , of EX4 (or alternatively EX14) are greater than those of EX3 (or alternatively EX13), the total number of nonzero elements of the former is less than that of the latter. This is because the total number of working centers used in all sequences of all part types of EX4 (or alternatively EX14) is 156 less than that of EX3 (or alternatively EX13) so that in each period the total nonzero elements in all matrixes T_i ($i = 1, 2, \dots, 8$) of the former are 156 less than those in all matrixes T_i ($i = 1, 2, \dots, 6$) of the latter and in 10 (or alternatively 40) periods the total nonzero elements of the former are 1560 (or alternatively 6240) less than those of the latter. Although the number of part types (or alternatively FMSs) of EX6 (or alternatively EX9) is greater than that of EX5 (or alternatively EX8), the size of matrix A of the former is smaller than that of the latter. This is because $\sum_i (n_i + m_i)$ for EX6 (or alternatively EX9) is less than that for EX5 (or alternatively EX8). When the conditions are the same as those in EX14 except for 50 planning periods in a planning horizon H , A in Eq. (11b) becomes a full rank $14,000 \times 7030$ matrix and has 36,451 nonzero elements, which is known as EX15. However, we cannot run our software of Karmarkar's algorithm for EX15 on a Pentium 2.4 GHz personal computer with 256 M memory under Windows XP because of insufficient virtual memory, while we obtain the optimal solution with $J^* = 441.016893$ after having run our software of Algorithm 1 on EX15 under the same condition for 2632.969 s.

Problems [P2] and [P4] and examples EX1 to EX15 are for the case that $\mathbf{r}(k)$ is given, i.e. for 'push' production. If $G_i \mathbf{r}(k)$ in Eq. (10b) is moved to the left of Eq. (10b) and $\mathbf{r}(k) \geq 0$ is added to Eq. (10f), then the optimal $\mathbf{r}^*(k)$ can also be obtained by solving problem [P2], i.e. for 'pull' production.

5.2. Pull production

A pull system generates the blank requirements and produces finished or semi-finished products from the given product demand plan, that is, pulling the production by demands. The following is an HPP example for a pull system.

The conditions are the same as those in EX1 in 'push' production except that $\mathbf{r}(k)$ is not given beforehand.

For Karmarkar's algorithm, A in Eq. (11b) becomes a full rank 760×356 matrix and has 1562 nonzero elements, which is different from EX1 in 'push' production because of the movement of $G_i \mathbf{r}(k)$ in Eq. (10b) to the left of Eq. (10b). Having run our software of Karmarkar's algorithm for 4.625 s on a Pentium 2.4 GHz personal computer with 256M memory under Windows XP, we obtain the optimal solution including J^* , $\mathbf{u}_i^*(k)$, $\mathbf{y}_i^*(k)$, $\mathbf{x}_i^*(k)$ and $\mathbf{r}^*(k)$. The optimal objective value J^* is equal to 537.496481, which is 3.08% lower than that by Karmarkar's algorithm in EX1 in 'push' production. Having rounded $\mathbf{r}^*(k)$ by

$$\mathbf{R}^*(k) = \text{round} \left(\mathbf{r}^*(k) + \sum_{t=1}^{k-1} (\mathbf{r}^*(t) - \mathbf{R}^*(t)) \right) \quad (14)$$

we get

$$\mathbf{R}^*(1) = (0 \ 2 \ 4 \ 10 \ 0 \ 4)^T$$

$$\mathbf{R}^*(k) = (8 \ 9 \ 5 \ 9 \ 7 \ 12)^T \text{ for } k = 2-10$$

6. Conclusions

In this paper, we have addressed the HPP problem of flexible automated workshops. First of all, the HPP problem is formulated by a linear programming model with the overload penalty different from the underload penalty and with demand constraints. The objective is to decompose medium-term production plans into short-term production plans and minimize cost under the condition of demands' being just satisfied. Because the scale of the model for a general workshop is too large to be solved by the simplex method on a personal computer within acceptable time, Karmarkar's algorithm and Algorithm 1 are adopted for solving the model. With the help of the above-mentioned algorithms, some typical examples of HPP have been studied, with the results showing that

- (1) Karmarkar's algorithm can guarantee the optimal solutions to HPP problems, but Algorithm 1 cannot;
- (2) Algorithm 1 is on an average 56.49% faster than Karmarkar's algorithm, but the optimal objective values for Algorithm 1 are on an average 0.03% greater than those for Karmarkar's algorithm;
- (3) Karmarkar's algorithm is suitable for solving large-scale problems, and Algorithm 1 for very-large-scale ones;
- (4) The proposed approaches are quite effective in that the optimal solutions of the very large scale HPP problems with eight FMSs, 30 types of parts totalling 1960 and 50 planning periods in a planning horizon H can be obtained by Algorithm 1 within 2632.969 s on a Pentium 2.4 GHz personal computer with 256 M memory;
- (5) The proposed approaches are very suitable for decomposing medium-term production plans into short-term production plans so as to obtain the lowest cost under the condition of demands' being just satisfied.

The HPP problem [P3] and Step 2 in Algorithm 1 can also be solved by other interior point methods for linear programming (Megiddo, Mizuno, & Tsuchiya, 1998; Renegar, 1988; Sturm & Zhang, 1998) instead of by Karmarkar's algorithm. However, since those methods have not been demonstrated through a convincing number of computational experiments, we employ Karmarkar's algorithm to solve the HPP problems herein.

Problems [P2] and [P4] are for the case that $\mathbf{r}(k)$ is given, that is, for 'push' production. If $G_i\mathbf{r}(k)$ in Eq. (10b) is moved to the left of Eq. (10b) and $G_i\mathbf{r}(k)$ in Eq. (12b) moved to the left of Eq. (12b) and if $\mathbf{r}(k) \geq 0$ is added to Eqs. (10f) and (12f), then the optimal $\mathbf{r}^*(k)$ can also be obtained by solving problems [P2] and [P4], that is, for 'pull' production. And the optimal objective values for 'pull' production are less than those for 'push' production under the same conditions.

Only the number of workpieces of planned production by each FMS in each period is determined through Karmarkar's algorithm and Algorithm 1. To develop the real production plan to be executed by each FMS in each period, we must add such parameters as part no, part priority, available machine (or working center), NC program, processing time and tool to the number (Yan, Wang, Cui & Zhang, 1997; Yan, Wang, Zhang & Cui, 1998).

Acknowledgements

This research was supported by the National Natural Science Foundation of China under grant 60443001 and by the National High Tech R&D Program of China under grant 863-511-943-005. We thank Area Editor M. Dessouky, the anonymous referees and Professor Li Lu for valuable comments and suggestions.

Appendix A. A detailed example

Without loss of generality, suppose that an FAW consists of five FMSs whose functions are complementary. Each FMS is composed of several working centers whose functions are alike and/or complementary. The week production plan (assigned to the FAW by ERP/MRP II) is shown in Table A1. From Table A1, we know that there are six types of parts whose processing routes are flexible and are of the property of job shop. Parts are sent to one of the available working centers for each sequence. It is a 5-day week. A workday is divided into two shifts. Times (excluding machine repairing times, etc.) available to working centers each shift are shown in Table A2.

From Table A1 and Eq. (4), we obtain (Yan & Jiang, 1998):

$$T_1 = \begin{bmatrix} 0.300 & 0 & 0.540 & 0.360 \\ 0.300 & 0 & 1.000 & 0.255 \\ 1.000 & 0.420 & 0.900 & 0.255 \end{bmatrix} \quad T_2 = \begin{bmatrix} 0.630 & 0.225 & 0 & 0.330 \\ 0.780 & 0.780 & 0.450 & 0.810 \\ 0.540 & 0.225 & 0.400 & 0 \\ 1.200 & 0 & 0.400 & 0 \end{bmatrix}$$

$$T_3 = \begin{bmatrix} 0.600 & 0.600 & 0.400 \\ 0.570 & 0.360 & 0 \\ 0.840 & 0.360 & 0 \\ 0.600 & 0 & 0.400 \end{bmatrix} \quad T_4 = \begin{bmatrix} 0.900 & 0.560 & 0.285 \\ 1.300 & 0 & 0.285 \\ 0.600 & 0 & 0.420 \end{bmatrix}$$

$$T_5 = \begin{bmatrix} 1.420 & 0.270 & 0 & 0 \\ 0.810 & 0 & 0.740 & 0.540 \\ 0 & 0.270 & 0.960 & 1.100 \end{bmatrix}$$

From Table A1 and Eqs. (2), (3) and (5), we get:

$$G_1 = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix} = \begin{bmatrix} (1,2) = 1 \\ (2,3) = 1 \\ (4,5) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{4 \times 6}$$

Table A1
Week production plan

Part	Sequence	FMS	Available working centers	Lot	Processing time (h)
P ₁	5	3	WC ₃₁ , WC ₃₄	80	1.20
	10		WC ₃₂		0.57
	15		WC ₃₃		0.84
	20	4	WC ₄₂		1.30
	25		WC ₄₁		0.90
	30		WC ₄₃		0.60
	35	2	WC ₂₂		0.78
	40		WC ₂₃		0.54
	45		WC ₂₁		0.63
	50		WC ₂₄		1.20
P ₂	5	1	WC ₁₁ , WC ₁₂	90	0.60
	10		WC ₁₃		1.00
	15	5	WC ₅₁		1.42
	20		WC ₅₂		0.81
	25	4	WC ₄₁		0.56
P ₃	5	1	WC ₁₃	60	0.42
	10		2		WC ₂₁ , WC ₂₃
	15	5	WC ₂₂		0.78
	20		WC ₅₁ , WC ₅₃		0.54
P ₄	5	3	WC ₃₂ , WC ₃₃	100	0.72
	10		WC ₃₁		0.60
	15	2	WC ₂₂		0.45
	20		WC ₂₃ , WC ₂₄		0.80
	25	1	WC ₁₁		0.54
	30		WC ₁₂		1.00
	35		WC ₁₃		0.90
P ₅	5	1	WC ₁₁	70	0.36
	10		WC ₁₂ , WC ₁₃		0.51
	15	5	WC ₅₂		0.74
	20		WC ₅₃		0.96
	25	4	WC ₄₁ , WC ₄₂		0.57
30	WC ₄₃		0.42		
P ₆	5	2	WC ₂₁	120	0.33
	10		WC ₂₂		0.81
	15	5	WC ₅₂		0.54
	20		WC ₅₃		1.10
25	3	WC ₃₁ , WC ₃₄	0.80		

Table A2
Times available to working centers each shift

FMS	Working center (unit: h)			
	1	2	3	4
1	14	21	28	
2	14	28	14	21
3	21	7	14	7
4	14	14	7	
5	14	14	21	

$$G_2 = \begin{bmatrix} (4, 6) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{4 \times 6} \quad G_3 = \begin{bmatrix} (1, 1) = 1 \\ (2, 4) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{3 \times 6}$$

$$G_4 = [(\text{other}) = 0]_{3 \times 6} = [\mathbf{0}]_{3 \times 6} \quad G_5 = [\mathbf{0}]_{4 \times 6}$$

$$L_{12} = \begin{bmatrix} (3, 3) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{4 \times 4} \quad L_{21} = \begin{bmatrix} (2, 2) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{4 \times 4}$$

$$L_{23} = \begin{bmatrix} (3, 2) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{4 \times 3} \quad L_{24} = \begin{bmatrix} (1, 1) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{4 \times 3}$$

$$L_{35} = \begin{bmatrix} (3, 4) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{3 \times 4} \quad L_{43} = \begin{bmatrix} (1, 1) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{3 \times 3}$$

$$L_{45} = \begin{bmatrix} (2, 1) = 1 \\ (3, 3) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{3 \times 4} \quad L_{51} = \begin{bmatrix} (1, 1) = 1 \\ (3, 4) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{4 \times 4}$$

$$L_{52} = \begin{bmatrix} (2, 2) = 1 \\ (4, 4) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{4 \times 4} \quad L_{11} = L_{15} = L_{22} = L_{25} = L_{55} = [\mathbf{0}]_{4 \times 4}$$

$$L_{13} = L_{14} = L_{53} = L_{54} = [\mathbf{0}]_{4 \times 3} \quad L_{31} = L_{32} = L_{41} = L_{43} = [\mathbf{0}]_{3 \times 4}$$

$$L_{33} = L_{34} = L_{44} = [\mathbf{0}]_{3 \times 3} \quad C_1 = \begin{bmatrix} (4, 3) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{6 \times 4}$$

$$C_2 = \begin{bmatrix} (1, 1) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{6 \times 4} \quad C_3 = \begin{bmatrix} (6, 3) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{6 \times 3}$$

$$C_4 = \begin{bmatrix} (2, 2) = 1 \\ (5, 3) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{6 \times 3} \quad C_5 = \begin{bmatrix} (3, 2) = 1 \\ (\text{other}) = 0 \end{bmatrix}_{6 \times 4}$$

From Table A2 and Eq. (4), we have

$$\beta_1(k) = (14 \ 21 \ 28)^T \quad \beta_2(k) = (14 \ 28 \ 14 \ 21)^T$$

$$\beta_3(k) = (21 \ 7 \ 14 \ 7)^T \quad \beta_4(k) = (14 \ 14 \ 7)^T$$

$$\beta_5(k) = (14 \ 14 \ 21)^T$$

for $k = 1, 2, \dots, 10$.

From Table A1 and Eq. (5), we get

$$\mathbf{d}_1 = (0 \ 0 \ 0 \ 100 \ 0 \ 0)^T \quad \mathbf{d}_2 = (80 \ 0 \ 0 \ 0 \ 0 \ 0)^T$$

$$\mathbf{d}_3 = (0 \ 0 \ 0 \ 0 \ 0 \ 120)^T \quad \mathbf{d}_4 = (0 \ 90 \ 0 \ 0 \ 70 \ 0)^T$$

$$\mathbf{d}_5 = (0 \ 0 \ 60 \ 0 \ 0 \ 0)^T$$

$$\mathbf{d} = \sum_{i=1}^5 \mathbf{d}_i = (80 \ 90 \ 60 \ 100 \ 70 \ 120)^T$$

Let input of blanks into the FAW

$$\mathbf{r}(1) = (0 \ 0 \ 0 \ 1 \ 0 \ 3)^T \quad \mathbf{r}(2) = (7 \ 9 \ 3 \ 10 \ 5 \ 12)^T$$

$$\mathbf{r}(k) = (8 \ 9 \ 6 \ 10 \ 7 \ 12)^T \quad \text{for } k = 3-10$$

Let initial in-process inventory

$$\mathbf{x}_{11} = \mathbf{x}_{21} = \mathbf{x}_{51} = (3 \ 3 \ 3 \ 3)^T \quad \mathbf{x}_{31} = \mathbf{x}_{41} = (3 \ 3 \ 3)^T$$

Let coefficients in Eq. (1)

$$\mathbf{a}_1 = (2.500 \ 2.500 \ 8.925 \ 2.500)^T \quad \mathbf{a}_2 = (16.025 \ 3.550 \ 5.800 \ 2.500)^T$$

Next, having run our software of Algorithm 1 on Example 1 under the same condition for 2.343 s, we obtain the same J^* , $\mathbf{u}_i^*(k)$, $\mathbf{y}_i^*(k)$ and $\mathbf{x}_i^*(k)$ as those by Karmarkar's algorithm. In this case, Algorithm 1 is 44.73% faster than Karmarkar's algorithm.

References

- Adler, I., Resende, M. G. C., Velga, G., & Karmarkar, N. (1989). An implementation of Karmarkar's algorithm for linear programming. *Mathematical Programming*, 44(3), 297–335.
- Akella, R. (1989). Real time part dispatch in flexible assembly test and manufacturing systems. *Operations research models in flexible manufacturing systems*, Wien: Springer, pp. 1–73.
- Bitran, G. R., Haas, E. A., & Hax, A. C. (1981). Hierarchical production planning: A single state system. *Operations Research*, 29(4), 717–743.
- Bitran, G. R., & Hax, A. C. (1977). On the design of hierarchical production planning systems. *Decision Sciences*, 8, 28–55.
- Davis, W. J., & Thompson, S. D. (1993). Production planning and control hierarchy using a generic controller. *IIE Transactions*, 25(4), 26–45.
- Gershwin, S. B. (1988). A hierarchical framework for discrete event scheduling in manufacturing systems. *Proceedings of IIASA Conference on Discrete Event System: Models and Applications (Sopron, Hungary, 1987)*, Berlin: Springer, pp. 197–216.
- Graves, S. C. (1982). Using Lagrangian techniques to solve hierarchical production planning problems. *Management Science*, 28(3), 260–275.
- Hax, A. C., & Meal, H. C. (1975). Hierarchical integration of production planning and scheduling. In M. A. Geisler (Ed.), *Studies in management sciences: Vol. I, logistics*. New York: Elsevier, pp. 53–69.
- Hu, J. G. (1991). *Iterative solution of systems of linear algebraic equations*. Beijing: Science Press, (in Chinese).
- Karmarkar, U. S. (1988). A hierarchical scheduling system for the CIM environment. *The Collection of Refereed Papers Presented at the Ninth International Conference on Production Research (Cincinnati, Ohio, 1987)*, Amsterdam: Elsevier, pp. 271–277.
- Kimemia, J., & Gershwin, S. B. (1983). An algorithm for the computer control of a flexible manufacturing system. *IIE Transactions*, 15(4), 353–362.
- Malakooti, B. (1989). A gradient-based approach for solving hierarchical multi-criteria production planning problems. *Computers and Industrial Engineering*, 16(3), 407–417.
- Megiddo, N., Mizuno, S., & Tsuchiya, T. (1998). A modified layered-step interior-point algorithm for linear programming. *Mathematical Programming*, 82(3), 339–355.
- Newson, E. F. P. (1975). Multi-item lot size scheduling by heuristic, Part I: with fixed resources, Part II: with variable resources. *Management Science*, 21(10), 1186–1203.
- Nguyen, P. L., & Dupont, L. (1993). Production management of a steel manufacturing system: a hierarchical planning model. *Computers and Industrial Engineering*, 25(1–4), 81–84.
- Qiu, M. M., & Burch, E. E. (1997). Hierarchical production planning and scheduling in a multi-product, multi-machine environment. *International Journal of Production Research*, 35(11), 3023–3042.
- Renegar, J. (1988). A polynomial-time algorithm, based on Newton's method, for linear programming. *Mathematical Programming*, 40(1), 59–93.
- Saad, G. H. (1988). An optimization approach for the disaggregation of aggregate production plans. *Proceedings of the Second International Conference on Expert Systems and the Leading Edge in Production Planning and Control (Charleston, SC, 1988)*, New York: North-Holland, pp. 305–318.
- Simpson, N. C. (1999). Multiple level production planning in rolling horizon assembly environments. *European Journal of Operational Research*, 114(1), 15–28.
- Simpson, N. C., & Erenguc, S. S. (1998). Improved heuristic methods for multiple stage production planning. *Computers and Operations Research*, 25(7/8), 611–623.
- Sturm, J. F., & Zhang, S. (1998). An interior point method, based on rank-1 updates, for linear programming. *Mathematical Programming*, 81(1), 77–87.

- Tsubone, H. (1988). *An analytical model for hierarchical production planning. The Collection of Refereed Papers Presented at the Ninth International Conference on Production Research (Cincinnati, Ohio, 1987)*, Amsterdam: Elsevier, pp. 216–222.
- Villa, A. (1989). *Hierarchical architectures for production planning and control. Operations Research Models in Flexible Manufacturing Systems*, Wien: Springer, pp. 261–288.
- Yan, H. S. (1997). An interaction/prediction approach to hierarchical production planning and control with delay interaction equations. *Computer Integrated Manufacturing Systems*, 10(4), 309–320.
- Yan, H. S., & Jiang, Z. J. (1998). An interaction/prediction approach to solving problems of hierarchical production planning in flexible automation workshops. *International Journal of Computer Integrated Manufacturing*, 11(6), 513–523.
- Yan, H. S., Wang, N. S., Cui, X. Y., & Zhang, J. G. (1997). Modeling, scheduling and control of flexible manufacturing systems by extended high-level evaluation Petri nets. *IIE Transactions*, 29(2), 147–158.
- Yan, H. S., Wang, N. S., Zhang, J. G., & Cui, X. Y. (1998). Modelling, scheduling and simulation of flexible manufacturing systems using extended stochastic high-level evaluation Petri nets. *Robotics and Computer-Integrated Manufacturing*, 14(2), 121–140.
- Yeh, H. M., Tarn, M. Y., & Chen, W. C. (1988). *An iterative algorithm to solve hierarchical production planning problems. The Collection of Refereed Papers Presented at the 9th International Conference on Production Research (Cincinnati, Ohio, 1987)*, Amsterdam: Elsevier, pp. 209–215.
- Yuan, W. P., Zhang, L. M., Huang, X. Q., & Wen, Z. C. (1992). *Numerical Analysis*. Nanjing, Jiangsu: Southeast University Press (in Chinese).